RECEIVED CENTRAL FAX CENTER

JUL 0 7 2008

## LISTING OF CLAIMS

(Previously presented) A client-side caching system, comprising:
 a client for issuing a request based on user selection for a resource on a server; and

a server for sending a response including a cookie and a client-side script to the client, wherein the cookie value represents the last version of the resource, and the client-side script appends the cookie value to the request for a resource such that the client automatically re-requests the resource with the appended cookie value so that if the most recent version of the resource is in the client cache, the resource is retrieved from the client cache rather than from the server, and if not, the resource is retrieved from the server.

- 2. (Original) The client-side caching system of claim 1, wherein the resource is a web page, the resource is located at a URL, and the client is a web browser with a browser cache.
- 3. (Previously presented) The client-side caching system of claim 1, wherein the response includes a non-displayed relatively small page and the cookie is in a response header and the client-side script is in the entity body of the response.
- 4. (Previously presented) The client-side caching system of claim 1, wherein the client-side script that appends the cookie value to the request is embedded in a displayed page.
- 5. (Previously presented) A server for a client-side caching system, comprising:

a server for receiving a client request for a resource, updating a database, creating and inserting a cookie and a client-side script in a response to the client, wherein the cookie value represents the last version of the resource, the client-

2 . 3

side script appends the cookie value to the request for a resource such that the client automatically re-requests the resource with the appended cookle value so that if the most recent version of the resource is in the client cache, the resource is retrieved from the client cache rather than from the server, and if not, the resource is retrieved from the server.

6 7

8

5

9 10

11 12

13

14 15

16 17

18 19 20

21

22 23

28

29

30

- 6. (Previously presented) The server of claim 5, wherein the server includes a web server for listening to client requests, the resource is a web page, and an application server for creating the cookle and Inserting the cookle into a response header and inserting the client-side script into the entity body of the response.
- 7. (Previously presented) The server of claim 6, wherein the server sets the cookle value by determining the last modified time of each web page in the same class as the web page which is the subject of the request, and sets the cookie value to the maximum value of the last modified times.
- 8. (Previously presented) The client-side caching system of claim 2. wherein the server sets the cookle value by determining the last modified time of each web page in the same class as the web page which is the subject of the request, and sets the cookle value to the maximum value of the last modified times.
- 9. (Previously presented) A client-side caching system, comprising: a client for issuing a request based on a user selection for a resource stored on a server and for receiving a server response including a cache control object and a client-side script, wherein the cache control object represents the correct version of the resource, the client-side script appends the cache control object value to the request for the resource, and the client automatically rerequests the resource with the appended cache control object value so that if the correct version of the resource is in the client cache, the resource is retrieved

from the client cache rather than from the server, and if not, the resource is retrieved from the server.

10. (Previously presented) The client-side caching system of claim 9, wherein the resource is a web page located at a URL, the correct version is the last version of the resource, and the client is a web browser with a browser cache.

11. (Previously presented) The client-side caching system of claim 10, wherein the request and the response are HTTP compliant, the response is a relatively small non-displayed page, the cache control object is a cookie in a response header, and the client-side script is in the entity body of the response.

12. (Previously presented) The client-side caching system of claim 9, wherein the client-side script that appends the cache control object to the request is embedded in a displayed page.

13. (Previously presented) The client-side caching system of claim 9, wherein internet protocols define communication between the client and the server, and the correct version is the last version of the resource.

14. (Previously presented) The client-side caching system of claim 11, wherein the server sets the cookie value by determining the last modified time of each page in the same class as the page which is the subject of the request, and sets the cookie value to the maximum value of the last modified times.

15. (Previously presented) A method of client-side caching in a server, comprising:

receiving a cilent request for a web page; and

Inserting a cookle and a client-side script in response to the client request, wherein the cookie value represents the last version of the web page, wherein the

20 -

client-side script appends the cookie value to the client request for the web page such that the client automatically re-requests the web page with the appended cookie value so that if the most recent version of the web page is in the client cache, the web page is retrieved from the client cache rather than from the server, and if not, the web page is retrieved from the server.

- 16. (Previously presented) The method of claim 15, further comprising determining the last modified time of each web page in the same class as the web page which is the subject of the request, and setting the cookle value to the maximum value of the last modified times.
- 17. (Previously presented) The method of claim 15, further comprising:
  reviewing the extension of the requested web page to determine a run time
  environment;

loading the run time environment; and updating a database with information from the client request.

18. (Currently amended) A method of client-side caching in a browser, comprising:

presenting a user selection for a web page at a URL; and receiving a server response including a cookle and a client-side script, wherein the cookle value represents the most recent version of the web page, the client-side script appends the cookle value to the URL and automatically rerequests the web page with a rewritten URL of the URL with the appended cookle value so that if the most recent version of the web page is in the browser cache, the web page is retrieved from the browser cache, and if not, [[the]] the web page is retrieved from the server.